

DATE MAILED: 01/14/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action	Application No.	Applicant(s)	
	09/900,302	JOSHI ET AL.	
	Examiner	Art Unit	·
	James H. Cho	2819	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address			
THE REPLY FILED 10 December 2002 FAILS TO PLACE Therefore, further action by the applicant is required to average in all the section under 37 CFR 1.113 may only be either: (1) condition for allowance; (2) a timely filed Notice of Appeal Examination (RCE) in compliance with 37 CFR 1.114.	oid abandonment of this applica a timely filed amendment which	ation. A proper reply n places the applica	/ to a tion in
PERIOD FOR RE	EPLY [check either a) or b)]		
a) The period for reply expires <u>3</u> months from the mailing date of the final rejection.			
b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire to ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The fee have been filed is the date for purposes of determining the period of fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of (2) as set forth in (b) above, if checked. Any reply received by the Officimely filed, may reduce any earned patent term adjustment. See 37 C	ater than SIX MONTHS from the mailing FILED WITHIN TWO MONTHS OF THe date on which the petition under 37 CFI fextension and the corresponding amount the shortened statutory period for reply the later than three months after the mail	g date of the final rejection HE FINAL REJECTION. R 1.136(a) and the apprount of the fee. The appropriginally set in the final (on. See MPEP opriate extension opriate extension Office action; or
1. A Notice of Appeal was filed on Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.			
2. The proposed amendment(s) will not be entered because:			
(a) They raise new issues that would require further consideration and/or search (see NOTE below);			
(b) they raise the issue of new matter (see Note below);			
(c) they are not deemed to place the application ir issues for appeal; and/or	n better form for appeal by mate	rially reducing or sin	nplifying the
(d) They present additional claims without canceling a corresponding number of finally rejected claims.			
NOTE:			
3. Applicant's reply has overcome the following rejection(s):			
4. Newly proposed or amended claim(s) would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).			
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.			
6. The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.			
7. ☐ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.			
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed:			
Claim(s) objected to:			
Claim(s) rejected: <u>1-2, 4-9</u> .			•
Claim(s) withdrawn from consideration:			
8. The proposed drawing correction filed on is	a) approved or b) disapp	roved by the Examir	ner.
9. Note the attached Information Disclosure Statemer	nt(s)(PTO-1449) Paper No(s)		
10. Other:			
_			

Continuation of 5. does NOT place the application in condition for allowance because: Sridhar et al. still meet all claimed limitations as broadly set forth in the claims. Fig. 2b and Fig. 2g. can be used AND/NAND function or OR/NOR function based on the input signals. See col. 11, lines 29-41 and col. 14, lines 50-62.

Michael Tokar Supervisory Patent Examiner

Malul J. Tokan

Technology Center 2800